

Identification of Substance & Company

Product

Product nameZIC DOT-4Product codenot allocatedHSNO approvalHSR002606

Approval description Lubricants, Lubricant Additives, Coolants and Anti-freeze Agents

(Subsidiary Hazard) Group Standard 2006

UN number NA
Proper Shipping Name NA
DG class NA
Packaging group NA
Hazchem code NA

Uses Automatic Brake systems

Company Details

Company New World Motors Ltd Address PO Box 132316,

Sylvia Park Auckland 1644

24 hour Emergency Response: 0800 CHEM CALL (0800 243 622)

2. Hazard Identification

Approval

This product has been approved under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002606, Lubricants, Lubricant Additives, Coolants and Anti-freeze Agents (Subsidiary Hazard) Group Standard 2006), and is classified as follows:

Classes Hazard Statements

6.3B H316 - Causes mild skin irritation.8.3A H318 - Causes serious eye damage.

6.9B H373 - May cause damage to organs through prolonged or repeated exposure

SYMBOLS

DANGER





Other Classifications

There are no other Classifications that are known to apply.

Precautionary Statements

Read label before use.

Keep out of reach of children.

Wear protective gloves/eye protection/face protection.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Store locked up

Further precautionary statements can be found in Section 4 – First Aid.



Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
Ethanol, 2-methoxy-, manufacture of, by-products from, esters with boric acid	161907-80-8	25-35%
Triethylene glycol monobutyl ether	143-22-6	30-40%
Diethylene Glycol	111-46-6	15-25%
1-methyl-1H-benzotriazole	29385-43-1	0.1-0.2%
2,6-Di-t-butyl-p-Cresol	128-37-0	0.09-0.05%

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

First Aid

General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service). IF exposed or concerned: Get medical advice/ attention.

Recommended first aid

Ready access to running water is required. Accessible eyewash is required.

facilities

Exposure

Swallowed Do NOT induce vomiting. Give a glass of water to drink. Contact a doctor.If conscious,

give plenty of water to drink. Contact the National Poisons Centre or a Doctor

immediately. If vomiting occurs, place victim face downwards, with the head turned to

the side and lower than the hips to prevent vomit entering the lungs.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Apply continuous irrigation with water for at least 15 minutes holding eyelids apart. Immediately call a POISON CENTRE or

doctor/physician.

Skin contact IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: get medical

advice/attention. Take off contaminated clothing and wash before re-use.

Inhaled Generally, inhalation of fumes is unlikely to result in adverse health effects. If coughing,

> dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for

transport and contact a doctor.

Advice to Doctor Treat symptomatically

Firefighting Measures

Fire and explosion hazards: There are no specific risks for fire/explosion for this chemical. It is not classed as

flammable.

Suitable extinguishing

substances:

Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or

alcohol resistant foam.

Unsuitable extinguishing

substances:

Unknown

Products of combustion: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.

May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying

spaces, forming potentially explosive mixtures.

Protective equipment: Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat

and eye protection.

Hazchem code: NA

Accidental Release Measures

Containment If greater than 10000L is stored, secondary containment and emergency plans to

manage any potential spills must be in place. In all cases design storage to prevent

discharge to stormwater.

Emergency procedures In the event of spillage alert the fire brigade to location and give brief description of

hazard. Stop the source of the leak, if safe to do so. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust on concentrate. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If

this occurs contact your regional council immediately).

Page 2 of 6 August 2016

Product Name: ZIC DOT-4



ZIC DOT-4 Safety Data Sheet

Clean-up method Use absorbent (soil, sand or other inert material). Rags are not recommended for the

> clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or

waterways has occurred advise local emergency services.

Disposal Mop up and collect recoverable material into labelled containers for recycling or salvage.

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations.

Precautions Wear protective equipment to prevent skin and eye contamination and the inhalation of

vapours. Work up wind or increase ventilation.

7. Storage & Handling

Storage Avoid storage of harmful substances with food. Store out of reach of children.

Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in

Section 10.

Keep exposure to a minimum, and minimise the quantities kept in work areas. See Handling

section 8 with regard to personal protective equipment requirements. Avoid skin and eye

contact and inhalation of vapour, mist or aerosols.

Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 10mg/m³ for dusts and mists when limits have not otherwise been established.

NZ Workplace Ingredient **WES-STEL WES-TWA Exposure Stds** Triethylene glycol monobutyl ether data unavailable data unavailable (2013)Diethylene Glycol 101 mg/m³ data unavailable 2,6-Di-t-butyl-p-Cresol data unavailable 10mg/m³

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

Eyes



Protect eyes with goggles, safety glasses or full face mask. Avoid wearing contact lenses.

Skin Avoid repeated or prolonged skin contact. Wear overalls, rubber boots and impervious

gloves. Nitrile, neoprene or natural rubber gloves are recommended. Replace frequently. Gloves should be checked for tears or holes before use. Remove protective clothing and

wash exposed areas with soap and water prior to eating, drinking or smoking.

A respirator when airborne concentrations approach the WES (section 8). Use a full face respirator with an organic vapour cartridge. If using a respirator, ensure that the

cartridges are correct for the potential air contamination and are in good working order.

WES Additional Information

Not applicable

Respiratory

Physical & Chemical Properties

amber liquid **Appearance** Odour no odour Ηq 7-9

Vapour pressure <1mBar (20°C) **Viscosity** 12-16mm²/s (20°C)

Boiling point >250°C Volatile materials no data Freezing / melting point no data

Solubility soluble in water

Page 3 of 6

Product Name: ZIC DOT-4 August 2016

^{*} These workplace exposure standards are also Prescribed Exposure Standards (PES) under the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016.



ZIC DOT-4 Safety Data Sheet

Specific gravity / density 1.034g/ml (20°C)

Flash point >140°C

Danger of explosion no data

Auto-ignition temperature >200°C

Upper & lower flammable limits no data

Corrosiveness corrosive to eyes.

10. Stability & Reactivity

Stability Stable

Conditions to be avoided Containers should be kept closed in order to avoid contamination. Keep from extreme

heat and open flames. Strong oxidants, acids.

Incompatible groups
Substance Specific

none known

Incompatibility

110110 141101111

Hazardous decomposition

Oxides of carbon.

products Hazardous reactions

none known

11. Toxicological Information

Summary

IF SWALLOWED: large quantities may cause vomiting, shortness of breath, headaches, sleepiness and lethargy, dizziness, trembling, confusion, slurred speech, impaired vision, convulsions.

IF IN EYES: may cause eye damage. Vapours may also cause irritation.

IF ON SKIN: may cause slight irritation.

IF INHALED: similar symptoms if swallowed. Also may cause irritation of the upper respiratory tract.

CHRONIC TOXICITY: exposure to diethylene glycol may affect kidneys.

Supporting Data

Acute Oral Using LD_{50} 's for ingredients, the calculated LD_{50} (oral, rat) for the mixture is >5,000

mg/kg. Data considered includes: Triethylene glycol monobutyl ether 5 170 mg/kg bw (rat), Diethylene Glycol 3300 mg/kg bw (cat), 1-methyl-1H-benzotriazole 675mg/kg (rat),

2,6-Di-t-butyl-p-Cresol 650mg/kg (mouse).

Dermal Using LD₅₀'s for ingredients, the calculated LD₅₀ (dermal, rat) for the mixture is >5000

mg/kg. Data considered includes: Triethylene glycol monobutyl ether 3 540 mg/kg bw

(rabbit), 1-methyl-1H-benzotriazole 2000mg/kg (rabbit).

Inhaled Using LC₅₀'s for ingredients, the calculated LC₅₀ (inhalation, rat) for the mixture is

>5mg/L. Data considered includes: Triethylene glycol monobutyl ether 2.4 mg/L air (rat).

Eye The mixture is considered to be corrosive to the eye, because Triethylene glycol

monobutyl ether present at >3% is considered an eye corrosive.

Skin The mixture is considered to be a skin irritant, because Triethylene glycol monobutyl

ether present is considered a skin irritant.

Chronic Sensitisation No ingredient present at concentrations > 0.1% is considered a sensitizer.

MutagenicityNo ingredient present at concentrations > 0.1% is considered a mutagen.CarcinogenicityNo ingredient present at concentrations > 0.1% is considered a carcinogen.Reproductive /No ingredient present at concentrations > 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation. There is some effects on the concentration of the concentration

developmental toxicant or have any effects on or via lactation. There is some evidence that exposure to some glycols may result in reproductive/developmental toxicity.

Triethylene glycol monobutyl ether has been shown not to beembryotoxic or teratogenic.

(HSDB)

Systemic The mixture is considered to be a suspected target organ toxicant, because diethylene

glycol may affect the kidneys.

Aggravation of existing conditions

None known.

12. Ecological Data

Summary

This mixture is not considered to be ecotoxic.

Supporting Data

Aquatic Using EC_{50} 's for ingredients, the calculated EC_{50} for the mixture is > 100 mg/L. Data

considered includes: Triethylene glycol monobutyl ether >100mg/L, 1-methyl-1H-benzotriazole LC₅₀ 21.4mg/L (96h, Salmo gairdneri), 73.7mg/kg (48h, Daphnia magna), 62mg/L (72h, Scenedesmus subspicatus (Algae)), 2,6-Di-t-butyl-p-Cresol 1.44mg/L

(48hr, Daphnia magna).

Bioaccumulation No data

Page 4 of 6 August 2016

Product Name: ZIC DOT-4



ZIC DOT-4 Safety Data Sheet

Product Name: ZIC DOT-4

Degradability No data

Soil No evidence of soil toxicity.

Terrestrial vertebrate This mixture is not considered ecotoxic to terrestrial vertebrates. Using LD₅₀'s for

ingredients, the calculated LD₅₀ (oral, rat) for the mixture is >2,000 mg/kg. Data considered includes: Ethanol, 2-methoxy-, manufacture of, by-products from, esters with boric acid no data, Triethylene glycol monobutyl ether 5 170 mg/kg bw (rat), Diethylene Glycol 3300 mg/kg bw (cat), 1-methyl-1H-benzotriazole 675mg/kg (rat), 2,6-Di-t-butyl-p-

Cresol 650mg/kg (mouse).

Terrestrial invertebrate No evidence of ecotoxicity towards terrestrial invertebrates.

Biocidal no data

Environmental effect levels No EELs are available for this mixture or ingredients

13. Disposal Considerations

Restrictions There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

Disposal methodDisposal of this product must comply with the requirements of the Resource Management

Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore rendered non-hazardous before discharge to the

environment.

Contaminated packaging Rinse containers with water before disposal. Preferably re-cycle container, otherwise

send to landfill or similar.

14. Transport Information

There are no specific restrictions for this product (not a dangerous good).

UN number:NAProper shipping name:NAClass(es)NAPacking group:NAPrecautions:Not applicable.Hazchem code:NA

15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002606, Lubricants, Lubricant Additives, Coolants and Anti-freeze Agents (Subsidiary Hazard) Group Standard 2006. Specific Workplace Controls (as per HSNO approval referenced to Controls Matrix)

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing > any quantity.

Labelling No removal of labels and/or decanting of product into other containers can occur.

Emergency plan Required if > 10000L is stored.

Approved handler Not required. Tracking Not required.

Bunding & secondary containment Required if > 10000L is stored.

Signage Required if > 1000L is stored.

Location test certificate Not required.
Flammable zone Not required.
Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans. In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.





16. Other Information

Abbreviations

Approval HSR002606, Lubricants, Lubricant Additives, Coolants and Anti-freeze Agents **Approval Code**

(Subsidiary Hazard) Group Standard 2006 Controls, EPA. www.epa.govt.nz

CAS Number Unique Chemical Abstracts Service Registry Number

Ceiling Ceiling Exposure Value: The maximum airborne concentration of a biological or chemical

agent to which a worker may be exposed at any time.

Controls Matrix List of default controls linking regulation numbers to Matrix code (e.g. T1, I16). EC₅₀

Ecotoxic Concentration 50% - concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

EPA Environmental Protection Authority (New Zealand)

HAZCHEM Code Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

HSNO Hazardous Substances and New Organisms (Act and Regulations)

IARC International Agency for Research on Cancer

LEL Lower Explosive Limit

Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats). I D50

LC50 Lethal Concentration 50% - concentration in air which is fatal to 50% of a test population

(usually rats)

MSDS (SDS) Material Safety Data Sheet (or Safety Data Sheet)

PES Prescribed Exposure Standard means a WES or a biological exposure standard that is

prescribed in a regulation, a safe work instrument or an approval under HSNO (including

group standards).

Short Term Exposure Limit - The maximum airborne concentration of a chemical or **STEL**

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

UFI Upper Explosive Limit **UN Number** United Nations Number

Workplace Exposure Standard - The airborne concentration of a biological or chemical **WES**

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.

References

Unless otherwise stated comes from the EPA HSNO chemical classification information Data

database (CCID).

EPA Transfer Gazettes

WES 2013

Classifications and controls assigned for specific ingredients (consolidated gazette, 2004)

The NZ Workplace Exposure Standards Effective from 2013, published by WorkSafe NZ

and available on their web site - www.worksafe.govt.nz.

WES 2002 Workplace Exposure Standards published by the Occupational Safety and Health

Service, Department of Labour, January 2002, ISBN 0-477-03660-0. These are the WES

referred to under the Group Standard (HSNO approval) and may constitute a PES.

Other References: Suppliers SDS

Review

Date Reason for review August 2016 Not applicable - new SDS

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 9 940 30 80.

